



Temperature range: **+1°C/+10°C**

Refrigerating unit: **External**

Refrigerant/Cooling factor: **R404A / R507**

Specifications	COSTA 1.3-MOD/C	COSTA 2.5-MOD/C
CODE	PA101-c/dp	PA104-c/dp
Length of the module without sides [mm]	1230	2460
Capacity [dm <sup>3</sup> ]	780	1500
The area of shelves [m <sup>2</sup> ]	2,6	5,2
Exhibition area [m <sup>2</sup> ]	1,8	3,4
Side panel thickness [mm]	40	40
Depth [mm]	750	750
Height [mm]	2140+/-10	2140+/-10
Unit weight [kg]	195	350
Shelves dimensions [mm]	1220x360 5szt, 1230x440 1szt	1220x360 10szt, 2460x440 1szt
Refrigerant	R404A / R507	R404A / R507
Evaporating temperature [°C]	-10	-10
Cooling power demand [W/mb]	800	800
Rated voltage [V]	230/50Hz	230/50Hz
Rated power of lighting [W]	51	85
Rated power [W]	139	195
Electricity consumption [kWh/24h]	1,9	2,7

## Standard equipment

powered only by external aggregate

device prepared for multiplexing

dynamic cooling (ventilated)

ecological polyurethane foam insulation

sliding door with insulated glass - self-closing

base sheet and bottom front panel with coloured sheet - selectable colour (IGLOO colour chart)

top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)

side interior lighting - fluorescent LED (selectable colour - white, confectionery or meat)

interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)

reinforced display shelves with adjustable height and suspension angle

price stripes – different colors available (IGLOO pattern book)

bumper – different colors available (IGLOO pattern book)

automatic defrost

electronic temperature controller with digital display (IGLOO)

## Options

insulated side panels made of white coated steel - thickness : 40 mm

customizable colour of side panels made of coated steel (contact the Igloo sales department)

insulated side panels made of stainless steel

custom front panel color (after consultation with the IGLOO Sales Department)

base panel made of stainless steel

custom front panel color (after consultation with the IGLOO Sales Department)

bottom stainless steel front panel

base and front panel made of white coated steel (contact the Igloo sales department)

top full panel made of stainless steel

custom colors of device interior and exposition shelves

device interior and exposition shelves made of stainless steel

device interior and exposition shelves made of acid – resistant stainless steel

good securing fence

internal, upper lighting – LED lamp (color of choice: white, confectionery or meaty “deep pink”)

top mirrors

meat hooks – long

powder painted evaporator

automatic defrost

fixed partition made of PETG (plexiglass)

electronic temperature recorder + software

recorder cable

top outlets of the cooling circuitry

